

(PCT Article 18 and Rules 43 and 44)

See Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.					
30990053 W0 International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)			
PCT/GB 00/ 00489 15/02/2000 16/02/1999					
Applicant					
уррноан					
HEWLETT-PACKARD COMPANY e	t al.				
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth ansmitted to the International Bureau.	ority and is transmitted to the applicant			
This International Search Report consists  It is also accompanied by	of a total of sheets. a copy of each prior art document cited in this	report.			
Basis of the report					
<ul> <li>a. With regard to the language, the language in which it was filed, un</li> </ul>	international search was carried out on the bas less otherwise indicated under this item.	is of the international application in the			
the international search w Authority (Rule 23.1(b)).	vas carried out on the basis of a translation of t	ne international application furnished to this			
was carried out on the basis of th	e sequence listing:	ternational application, the international search			
]	onal application in written form.				
filed together with the inte	ernational application in computer readable for	n.			
furnished subsequently to	this Authority in written form.				
	this Authority in computer readble form.				
the statement that the suinternational application a	bsequently fumished written sequence listing d as filed has been fumished.	oes not go beyond the disclosure in the			
the statement that the inf furnished	ormation recorded in computer readable form i	s identical to the written sequence listing has been			
2. Certain claims were fou	ınd unsearchable (See Box I).				
3. Unity of invention is led	kling (see Box II).				
4. With regard to the title,					
the text is approved as s	ubmitted by the applicant.				
	shed by this Authority to read as follows:				
Similarity searching	by combination of different	data-types			
5. With regard to the abstract,					
X the text is approved as s	ubmitted by the applicant.				
the text has been establi within one month from the	shed, according to Rule 38.2(b), by this Author e date of mailing of this international search re	ity as it appears in Box III. The applicant may, port, submit comments to this Authority.			
6. The figure of the drawings to be put	olished with the abstract is Figure No.	2			
as suggested by the app		None of the figures.			
because the applicant fa					
because this figure bette	r characterizes the invention.				

CT/GB 00/00489

A CLASSIFICATION OF SUBJECT MATTER IPC 7 G06F17/30					
	International Patent Classification (IPC) or to both national classific	ation and IPC			
		audi alio ir O			
B. FIELDS S	SEARCHED currentation searched (classification system followed by classification system followed by classifi	on symbols)			
IPC 7	G06F	: . •			
Documentati	ion searched other than minimum documentation to the extent that s	such documents are included in the fields se	arched		
Electronic da	ata base consulted during the international search (name of data ba	ise and, where practical, search terms used			
	TO DE DEL SUAME				
	ENTS CONSIDERED TO BE RELEVANT	laurat access	Relevant to claim No.		
Category °	Citation of document, with indication, where appropriate, of the re	nevant passages	neteral to dain no.		
X	DE 197 08 265 A (RICOH KK) 4 September 1997 (1997-09-04) column 1, line 49 - line 56 column 2, line 8 - line 11 column 2, line 51 - line 61 column 5, line 15 - line 56 figures 3,4		1-6, 14-17		
		-/			
	*				
Ì					
X Fur	ther documents are listed in the continuation of box C.	X Patent family members are listed	in annex.		
"A" docum	ategories of cited documents:  nent defining the general state of the art which is not idened to be of particular relevance	"T" later document published after the int or priority date and not in conflict wit cited to understand the principle or the invention	the application but		
filing		"X" document of particular relevance; the cannot be considered novel or cannot be considered nov	t be considered to		
which	nent which may throw doubts on priority claim(s) or is cited to establish the publication date of another	involve an inventive step when the d "Y" document of particular relevance; the cannot be considered to involve an ir	claimed invention		
"O" docun	on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or r means	document is combined with one or m ments, such combination being obvious	ore other such docu-		
"P" docum	nent published prior to the international filing date but than the priority date claimed	in the art. "&" document member of the same paten	t family		
Date of the	e actual completion of the international search	Date of mailing of the international se	earch report		
:	14 June 2000	03/07/2000			
Name and	I mailing address of the ISA	Authorized officer			
	European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Triest, J			

International Application No CT/GB 00/00489

		17 db 007 00489
C.(Continue	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MUKHERJEA S ET AL: "Towards a multimedia World-Wide Web information retrieval engine"  COMPUTER NETWORKS AND ISDN SYSTEMS,NL,NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 29, no. 8-13, 1 September 1997 (1997-09-01), pages 1181-1191, XP004095315 ISSN: 0169-7552 column 2, line 12 -column 3, line 3	1,2,4,5
A	HAMANO T: "A SIMILARITY RETRIEVAL METHOD FOR IMAGE DATABASES USING SIMPLE GRAPHICS" PROCEEDINGS OF WORKSHOP ON LANGUAGES FOR AUTOMATION, US, WASHINGTON, IEEE COMP. SOC. PRESS, vol, 1988, pages 149-154, XP000118740 ISBN: 0-8186-0890-0 page 150, column 2, paragraph 4 -page 151, column 1, paragraph 3	14

information on patent family members

International Application No
PCT/GB 00/00489

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 19708265 A	04-09-1997	US 5933823 A CN 1170168 A JP 9237282 A	03-08-1999 14-01-1998 09-09-1997



# **PCT**

### INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference FOR FURTHER see Notification of Transmittal of International Search Report (Form PCT/ISA/220) as well as, where applicable, item 5 below.					
30990053 WO	30990053 WO ACTION				
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)			
PCT/GB 00/00489	15/02/2000	16/02/1999			
Applicant					
HEWLETT-PACKARD COMPANY e	t al.				
This International Search Report has been according to Article 18. A copy is being tra	n prepared by this International Searching Auth ansmitted to the International Bureau.	nority and is transmitted to the applicant			
This International Search Report consists  It is also accompanied by	of a total of sheets. a copy of each prior art document cited in this	report.			
Basis of the report					
	international search was carried out on the basess otherwise indicated under this item.	sis of the international application in the			
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translation of t	he international application furnished to this			
b. With regard to any <b>nucleotide an</b> was carried out on the basis of the		nternational application, the international search			
l	onal application in written form.				
filed together with the inte	rnational application in computer readable for	m.			
furnished subsequently to	this Authority in written form.				
furnished subsequently to	this Authority in computer readble form.				
	osequently furnished written sequence listing d s filed has been furnished.	loes not go beyond the disclosure in the			
the statement that the info furnished	ormation recorded in computer readable form is	s identical to the written sequence listing has been			
2. Certain claims were fou	nd unsearchable (See Box I).				
3. Unity of Invention is lac	king (see Box II).				
4. With regard to the <b>title</b> ,  the text is approved as su	shmitted by the applicant				
	shed by this Authority to read as follows:				
	by combination of different	data-types			
		•			
5. With regard to the abstract,					
the text is approved as submitted by the applicant. the text has been established, according to Rule 38.2(b), by this Authority as it appears in Box III. The applicant may, within one month from the date of mailing of this international search report, submit comments to this Authority.					
6. The figure of the <b>drawings</b> to be publ	lished with the abstract is Figure No.	2			
as suggested by the appli	cant.	None of the figures.			
because the applicant fail	•				
because this figure better	characterizes the invention.				

International Application No PCT/GB 00/00489

		1, 45 00, 00 105		
A. CLASSIFICATION OF SUBJECT MATTER IPC 7 G06F17/30				
According to International Patent Classification (IPC) or to both national classification	estion and IPC			
B. FIELDS SEARCHED	cation and in-o			
Minimum documentation searched (classification system followed by classification followed by classific	tion symbols)			
Documentation searched other than minimum documentation to the extent that	such documents are included	in the fields searched		
Electronic data base consulted during the international search (name of data b	ase and, where practical, seard	ch terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT				
Category ° Citation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.		
DE 197 08 265 A (RICOH KK) 4 September 1997 (1997-09-04) column 1, line 49 - line 56 column 2, line 8 - line 11 column 2, line 51 - line 61 column 5, line 15 - line 56 figures 3,4	-/	1-6, 14-17		
χ Further documents are listed in the continuation of box C.	χ Patent family memb	pers are listed in annex.		
	λ , αισια ισιαιή ιισια	ero dre notos in arriox.		
<ul> <li>Special categories of cited documents:</li> <li>"A" document defining the general state of the art which is not considered to be of particular relevance</li> <li>"E" earlier document but published on or after the international filing date</li> <li>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</li> <li>"O" document referring to an oral disclosure, use, exhibition or other means</li> <li>"P" document published after the international filing date or priority date and not in conflict with the application be cited to understand the principle or theory underlying the invention.</li> <li>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken at document is combined with one or more other such document is combined with one or more other such document is combined with one or more other such do ments, such combination being obvious to a person ski in the art.</li> <li>"8" document member of the same patent family</li> </ul>				
Date of the actual completion of the international search  Date of mailing of the international search report				
14 June 2000	03/07/2000			
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax: (+31-70) 340-3016	Authorized officer  Triest, J			



International Application No PCT/GB 00/00489

Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT	
tegory ° Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
MUKHERJEA S ET AL: "Towards a multimedia World-Wide Web information retrieval engine" COMPUTER NETWORKS AND ISDN SYSTEMS,NL,NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 29, no. 8-13, 1 September 1997 (1997-09-01), pages 1187-1191, XP004095315 JSSN: 0169-7552 column 2, line 12 -column 3, line 3	1,2,4,5
HAMANO T: "A SIMILARITY RETRIEVAL METHOD FOR IMAGE DATABASES USING SIMPLE GRAPHICS" PROCEEDINGS OF WORKSHOP ON LANGUAGES FOR AUTOMATION, US, WASHINGTON, IEEE COMP. SOC. PRESS, vol, 1988, pages 149-154, XP000118740 ISBN: 0-8186-0890-0 page 150, column 2, paragraph 4 -page 151, column 1, paragraph 3	



information on patent family members

International Application No PCT/GB 00/00489

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
DE 19708265	A	04-09-1997	US CN JP	5933823 A 1170168 A 9237282 A	03-08-1999 14-01-1998 09-09-1997

#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: WO 00/49526 (11) International Publication Number: G06F 17/30 A1 (43) International Publication Date: 24 August 2000 (24.08.00)

(21) International Application Number: PCT/GB00/00489 (81) Designated States: JP, US, European patent (AT, BE, CH, CY,

DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, (22) International Filing Date: 15 February 2000 (15.02.00)

GB

16 February 1999 (16.02.99)

(71) Applicant (for all designated States except US): HEWLETT-PACKARD COMPANY [US/US]; 3000 Hanover Street, Palo Alto, CA 94304 (US).

(72) Inventors; and (75) Inventors/Applicants (for US only): SHARPE, William [GB/GB]; 26 Holmwood Gardens, Westbury-on-Trym,

Bristol BS9 3EB (GB). BURNS, Roland, John [GB/US]; 62 Rock Harbor Lane, Foster City, CA 94404 (US).

(74) Agent: LAWRENCE, Richard, Anthony; Hewlett-Packard Limited, Intellectual Property Section, Filton Road, Stoke Gifford, Bristol BS34 8QZ (GB).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SIMILARITY SEARCHING BY COMBINATION OF DIFFERENT DATA-TYPES

#### (57) Abstract


1

N

(30) Priority Data:

9903451.4

This invention relates to managing multiple web servers, a web service system and method that allows a system operator to distribute content to each web server in the web service system and notifying a computer, such as a cache server, of content changes. In one embodiment, a method for notifying a computer of changed files includes identifying changes in a source file set, storing the identified changes in a modification list and transmitting the modification list to a computer. In one embodiment, a method for replicating changes in a source file set on a destination file system and for notifying a computer of the changes includes identifying changes in a source file set, storing the changes in a first modification list, and transmitting the first modification list to an agent having access to a destination file system.



## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

Similarity searching by combination of different data-types

### Field of Invention

5

15

The present invention relates to a method and means for searching to find similar documents in response to a query. The invention is particularly relevant to the use of one document as a query for a search to obtain similar documents.

### 10 Description of Prior Art

Similarity searching in databases of electronically stored documents is an important area of practical application. Such searching is well known for text. Typically, the input for such searching would be a text string, and the engine would then search the database matching entries against the text string and return entries with an acceptable similarity threshold. Similar searching is available for images - an example is the IBM Corporation QBIC (Query by Image Content) package, described at and available from http://wwwqbic.almaden.ibm.com/.

- Research has also been done on using structural analysis of a document in searching, particularly at the German Research Center for Artificial Intelligence GmbH (DFKI) in systems such as Office Maid and SALT. These systems are further described at http://www.dfki.uni-kl.de.
- Existing techniques are effective when the query is of essentially one data type: a text string only, or an image only. In general, however, an electronic document will consist of a combination a number of data types: a typical document might contain one or more text passages, one or more images, and line art. The text passages may also be readily sub-dividable into different types, such as headings, legends, and bulk text. Using existing techniques as indicated above, similarity searching will involve extraction of one element in a particular data type followed by similarity searching appropriate to that data type.

An example of such a sequential approach is found in US Patent No. 6,002,798. This provides for an initial structural analysis of a document into areas of different type: not simply into image plus text, but also into areas of different functional significance (eg title, heading, text block). This structural information is then used to allow user searching and text indexing in chosen functional elements of the document. This mechanism is particularly useful for making the problem of text searching in complex documents more tractable - it is not, however, effective to allow searching for documents which are as a whole similar to a query document.

It is desirable to provide methods of similarity searching which allow the features of the document to be used appropriately in a search that is properly representative of the full document.

#### Summary of Invention

15

20

5

Accordingly, in a first aspect the invention provides method of searching a database to find documents similar to a query document, comprising: decomposing the query document into elements of different data types; for one or more of the elements in a first data type, conducting a first data type similarity search to return match results from the database for the one or more elements in the first data type; for one or more of the elements in a second data type, conducting a second data type similarity search to return match results from the database for the one or more elements in the second data type; combining the match results from the first data type similarity search and the second data type similarity search to provide query document match results.

25

Advantageously, results from each query document match may be combined to allow progressive refinement of queries using any of the data types either singly or in further combination.

In a second aspect, the invention provides a method of searching a database to find documents similar to a query document, comprising: decomposing the query document into elements of different data types; determining a layout element in a layout datatype from the spatial arrangement of the elements in the document; for the

layout element, conducting a layout similarity search to return match results from the database for the layout element.

### Brief Description of Figures

5

Specific embodiments of the invention are described below, by way of example, with reference to the accompanying drawings, of which:

Figure 1 shows a typical document page containing different data types;

10

15

Figure 2 shows steps in a method according to an embodiment of a first aspect of the invention for conducting a similarity search for the document shown in Figure 1;

Figure 3 shows the representation of the document shown in Figure 1 as a layout of datatypes, and indicates a search step usable in a further embodiment of the method of the invention; and

Figure 4 shows steps in a method according to an embodiment of the second aspect of the invention for conducting a similarity search for layout information.

20

25

30

#### Description of Embodiments

A typical document contains a plurality of data types. The most basic data types are text and images. Document 1 shown in Figure 1 contains a text block 12 - this text block is data in a first data type. Document 1 also contains two different kinds of image. One kind, image block 13, is a photographic image, typically consisting of an array of pixels in which each pixel has a colour value. The other kind, line art block 11, is also an image but a "drawn" one, readily representable as a combination of geometric or formulaic elements - and as such, typically readily scalable. Photographic images and line art images (hereafter "pictures" and "graphics") respond differently to different image processing and analysis techniques, and are most effectively treated as different data types. Moreover, pictures and graphics will generally serve a different purpose in a document, so it is also practical for the purpose of similarity searching to treat pictures and graphics separately.

10

15

20

25

30

The steps involved in similarity searching for the document of Figure 1 according to an embodiment of the first aspect of the invention are shown in Figure 2.

Firstly the document 1 is selected in step 21. For an electronic document, this could be achieved through any appropriate application capable of supporting the file type or file types of the document. For a physical document, this could be achieved by scanning the document using a scanner.

Secondly in step 22, the document is decomposed into separate elements: in the case of document 1, these elements are graphic block 11, text block 12, and picture block 13. In the case of text block 12, it is desirable for optical character recognition to be carried out at this point so that the text block element resulting from decomposition consists of ASCII text. Decomposition of the document is achieved by an analysis and recognition process through which the different parts of the document are recognised as being text, pictures or graphics. Decomposition of a document into separate data types in this way is known, using for example techniques identified in "Block Segmentation and Text Extraction in Mixed Text/Image Documents" by FM Wahl, KY Wong and RG Casey, Computer Graphics and Image Processing, Vol. 20 (1982) (a further example is provided in US Patent No. 6,002,798). Software adapted for use with proprietary scanners to decompose the elements of a scanned page into separate data types (in order to optimise the scanning process for each data type) is provided by Hewlett-Packard Company as "HP PrecisionScan". The output of HP PrecisionScan is a set of elements each in a single data type, each of which can be selected for further processing.

The result of decomposition is a set of elements, each element having a single data type. For a particular data type, such as text, then either all text is determined to be part of a single element, or else physically distinct areas of text are considered as separate elements, depending on how the decomposition is carried out. In one version of the embodiment all the elements of the document are used in similarity searching: in other versions one or more of the elements are selected for use in similarity searching (or the user is even allowed an opportunity to select part of an element for such further processing).

5

10

15

20

25

Separate elements are then used in similarity searching 23, 24 against a database, for example a database representing content available on the World Wide Web. Should all the elements be of one data type, this reduces to a conventional similarity searching problem addressable with a single search engine for the relevant data type. However, if elements are of different data types, then separate search engines are used for each data type. Appropriate search engines for similarity searching for different data types are known. For example, for text, appropriate linguistic matching toolkits are available from Teragram Corporation (http://www.teragram.com) and Inxight Software, Inc. (http://www.inxight.com/). In each case an appropriate preconditioning step 23 is desirable before the matching step 24, as will be discussed briefly in relation to the main data types below.

For example, Inxight Summarizer is a software component technology that summarises a document by extracting key sentences from the document. This is the preconditioning step 23. These summaries can then be matched against each other in the matching step 24. Inxight Summarizer generates indicative summaries that contain key sentence, elements from a document. The essence of the text is extracted by stemming and text normalisation technology to obtain a concise and canonical synopsis of the text. "Stemming" is the replacement of a word by its root and part-of-speech (e.g. "I had wanted" -> "to want/first person/pluperfect"), whereas "normalisation" involves replacement of one of several forms with a "concept" (e.g. "2/3/99, Feb 2<sup>nd</sup>,1999 and 2<sup>nd</sup> February" are all alternate forms of the same concept). The matching step 24 can then be carried out on the stemmed and normalised results of the preconditioning step 23 with confidence that text content which is genuinely similar will be matched without adverse influence from unwanted syntax considerations.

An example of an image searching tool is the IBM QBIC package, as indicated above. QBIC is further described at http://wwwqbic.almaden.ibm.com/. This package is adapted to precondition the images by analysing for a number of different criteria, such as colour percentages, colour layout, and textures occurring in the images. These criteria are then used in combination in a matching step 24. There are many

other known applications of "searching a 'new' image for known objects, from robot vision (a robot searching for parts in a bin), through to traffic monitoring systems (automatic detection of car license plates) - the present matching problem is essentially the inverse of these known problems.

5

WO 00/49526

It can be appreciated also that a serial approach could be used effectively: for example, first using a "straight edge" histogram to enable differentiation between natural and artificial scenes; then using an "edge length" histogram (an shortage of long edges probably indicates a natural scene); testing for a large area of blue tone at the top of the image (indicating an outdoor scene); and testing for significant elements of flesh tones", indicating that there is an image containing representations of people—which can be followed by a face matching analysis to find the same faces. Clearly a combination of serial and parallel steps can be employed.

15

20

10

The result of the similarity searching is a set of series of matching scores for documents in the database, such a set existing for each element searched. Each of these search scores needs to be normalised 25 for combination 26 to achieve a combined search result 27. The normalisation step 25 is to ensure that a correct balance is given to the results of the different searching steps 24. This can either be to weight each element of the document equally, to weight each element of the document according to its perceived importance in the document, or according to a user assessment of the relative importance of the different elements of the document.

25

30

A preferred solution may involve a mixture of automatic and manual weighting. A particularly effective approach is to use synopsis generation techniques on the textual part to produce a set of textual search criteria and also to present a set of possible criteria based on the non-textual parts. These criteria are then presented to the user for verification. Such a user based approach is easy to use (and it is also easy for a user to tell when it is ineffective). For example, auser may be asked if he/she wanted to search for things that matched the textual synopses, or, for the image and drawing parts, whether he wanted "this person", "scenes like this", "pictures containing this object"... or "pages that look like this one".

The combined result 27 is as for conventional similarity searching: a series of matching scores (generally expressed as percentages) listing documents in the database from best towards worst matches.

Generally, most effective user querying will be achieved where it is possible for the user to achieve successive refinement of the user query - using the results of one round of querying as a basis for constructing the next round of querying - so in practice the combined result 27 will frequently be fed back to a later selection step to allow effective iterative searching.

10

15

20

25

30

Further use can be made of information derived from page decomposition in similarity searching. In addition to the separate elements provided by page decomposition (graphic 11, text block 12, and picture 13), further information is provided in the arrangement of the different elements within the document. As is shown in Figure 3, a further output available from page decomposition is a data type plan 31 representing the document as a line art block, a text block, and an image block, arranged vertically in sequence - decomposition into layouts is discussed is US Patent No. 6,002,798. However, the present inventors have appreciated that this data type plan can itself be used as a layout data type. This allows yet another element the layout data type element - to be used in searching 32 of a database (provided that layout information is available in or derivable from the database entries). The results of similarity searching for such a layout element can be combined with similarity searches for other elements exactly as described in Figure 2., with layout data type 31 emerging from the decomposition step 22 and then being used in a searching step 32 equivalent and parallel to searching steps 23 and 24 (followed by a normalisation step before combination in step 26 with results from other data types.

In an embodiment according to the second aspect of the invention, similarity searching is conducted using the layout data type alone. The steps to be followed are essentially as in conventional similarity searching - this is shown in Figure 4, with elements common to the first aspect of the invention given the same reference numbers as in Figure 2. Layout similarity searching, whether used on its own or as one of the elements in a combined search as described in the first aspect of the invention, is more powerful if a number of different data types are used for text and

for overall document type. Using a rule-based approach, different text blocks and whole documents, especially in the case of formal workflow documents, can be assigned particular functions with relatively high confidence. For example, it is well known that isolated text blocks at the top of a page and handwriting at the bottom are suggestive of a letter, and so different spatial regions of the document can be assigned to appropriate functional fields (address, letter text etc) - likewise, table and currency totals in a document can be identified as a discrete element, and their presence limits the document to another group (bill, quote or invoice). Layout searching can thus involve matching to templates representing different workflow document types (thus promoting matching of a document determined to be a letter against other letters). An appropriate mechanism is to normalise a layout for size, orientation and skew, and then carrying out an "exclusive or" operation on the query element and the layout records in the database - this will be effective provided that all records involved have a broadly common format.

15

20

25

30

10

5

The difficulty of this problem depends on the nature and type of documents that are to be considered for matching. If the "universe" of documents is well defined, then there are tools available that can do an accurate job of classifying and labelling within that universe (e.g. OfficeMaid from DFKI). What is required in this case is classification according to a set of conventions laid down for the various classes of documents available for consideration. Conventions are here essentially rules that need not be closely followed: consequently an appropriate approach to this problem is rule based (most conveniently using fuzzy rules). Training of a neural network would also be an effective approach to adopt. The skilled person will appreciate how conventional fuzzy rule or neural network approaches could be adapted for use in a solution to this problem.

The skilled man will appreciate that modifications of the embodiments described above can readily be carried out without departing from the invention as defined in the claims.

#### **CLAIMS**

5

10

15

1. A method of searching a database to find documents similar to a query document, comprising:

decomposing the query document into elements of different data types;

for one or more of the elements in a first data type, conducting a first data type similarity search to return match results from the database for the one or more elements in the first data type;

for one or more of the elements in a second data type, conducting a second data type similarity search to return match results from the database for the one or more elements in the first data type;

combining the match results from the first data type similarity search and the second data type similarity search to provide query document match results.

- 20 2. A method as claimed in claim 1, wherein one of the data types is representative of text.
- 3. A method as claimed in claim 2, wherein a plurality of the data types are representative of text, separate data types of the plurality being representative of different functional blocks of text.
  - 4. A method as claimed in any preceding claim, wherein one of the data types is representative of pictorial images.
- 30 5. A method as claimed in any preceding claim, wherein one of the data types is representative of graphical images.
  - 6. A method as claimed in any preceding claim, wherein one of the data types is representative of the arrangement of other data types within the document.

10

25

- 7. A method as claimed in any preceding claim, wherein the step of similarity searching to return match results is carried out, separately, for a plurality of elements having between them more than two data types.
- A method as claimed in any preceding claim, where all features of a common data type in the document are treated as one element.
  - 9. A method as claimed in any of claims 1 to 7, where spatially distinct features of a common data type in the document are treated as separate elements.
  - 10. A method as claimed in any preceding claim, wherein elements are user selectable or deselectable for the step of similarity searching.
- 11. A method as claimed in any preceding claim, wherein the similarity searching results for separate elements are weighted before combination.
  - 12. A method as claimed in claim 11, wherein said weighting is user selected.
- 13. A method as claimed in claim 11, wherein said weighting is attributed according to a determined significance of each relevant element in the document.
  - 14. A method of searching a database to find documents similar to a query document, comprising:
    - decomposing the query document into elements of different data types;
    - determining a layout element in a layout datatype from the spatial arrangement of the elements in the document;
    - for the layout element, conducting a layout similarity search to return match results from the database for the layout element.



- 15. A method as claimed in claim 14, wherein the layout similarity search involves searching against templates representative of different document types.
- A method as claimed in claim 14, wherein the elements include elements of separate data types representative of different functional blocks of text.
  - 17. A method as claimed in claim 14 or claim 16, wherein the elements include elements of data types representative of images.





Figure 1






Figure 3

4/4




Figure 4





Ir .ational Application No PCT/GB 00/00489

A. CLASS IPC 7	SFICATION OF SUBJECT MATTER G06F17/30	•	
According t	to International Patent Classification (IPC) or to both national classifi	fication and IPC	
	S SEARCHED		
Minimum de	locumentation searched (classification system (ollowed by classifica $G06F$	ation symbols)	
156 /	GUOF		
	described to the output the		<del></del>
Documenta	ation searched other than minimum documentation to the extent that	such documents are included in the neros se	∌arched
Electronic o	data base consulted during the international search (name of data b	ase and, where practical, search terms used	0
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.
X	DE 197 08 265 A (RICOH KK) 4 September 1997 (1997-09-04)		1-6,
	4 September 1997 (1997-09-04) column 1, line 49 - line 56		14–17
	column 2, line 8 - line 11		
	column 2, line 51 - line 61		
l	column 5, line 15 - line 56		
ĺ	figures 3,4		
İ		-/	
	· ·		
!			
ł			
X Funth	her documents are listed in the continuation of box C.	Patent family members are listed in	n annex.
° Special cat	stegories of cited documents :	"T" tater document published after the inter	
	ent defining the general state of the art which is not lered to be of particular relevance	or priority date and not in conflict with t cited to understand the principle or the	the application but
"E" earlier d	document but published on or after the international	invention "X" document of particular relevance; the cla	
	ent which may throw doubts on priority claim(s) or	cannot be considered novel or cannot l involve an inventive step when the doc	be considered to
citation	is cited to establish the publication date of another n or other special reason (as specified)	"Y" document of particular relevance; the cla cannot be considered to involve an inv	entive step when the
"O" docume other n	ent referring to an oral disclosure, use, exhibition or means	document is combined with one or mor ments, such combination being obvious	re other such docu-
	ent published prior to the international filing date but nan the priority date claimed	in the art.  *&* document member of the same patent fa	amily
	actual completion of the international search	Date of mailing of the international sear	
-		/ /	
	4 June 2000	03/07/2000	
Name and m	nailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer	
	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,	Todach 1	
	Fax: (+31-70) 340-3016	Triest, J	





t national Application No PCT/GB 00/00489

		rc1/db 00/00489
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	MUKHERJEA S ET AL: "Towards a multimedia World-Wide Web information retrieval engine" COMPUTER NETWORKS AND ISDN SYSTEMS,NL,NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 29, no. 8-13, 1 September 1997 (1997-09-01), pages 1181-1191, XP004095315 ISSN: 0169-7552 column 2, line 12 -column 3, line 3	1,2,4,5
A	HAMANO T: "A SIMILARITY RETRIEVAL METHOD FOR IMAGE DATABASES USING SIMPLE GRAPHICS" PROCEEDINGS OF WORKSHOP ON LANGUAGES FOR AUTOMATION, US, WASHINGTON, IEEE COMP. SOC. PRESS, vol, 1988, pages 149-154, XP000118740 ISBN: 0-8186-0890-0 page 150, column 2, paragraph 4 -page 151, column 1, paragraph 3	14





#### information on patent family members

r .ational Application No PCT/GB 00/00489

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
DE 19708265 A	04-09-1997	US 5933823 A CN 1170168 A JP 9237282 A	03-08-1999 14-01-1998 09-09-1997